

















# PALLET TRUCK SCALES

PROFESSIONAL  
MEASURING



**2020**

# KERN Pictograms

 <b>Internal adjusting:</b> Quick setting up of the balance's accuracy with internal adjusting weight (motordriven)	 <b>KERN Communication Protocol (KCP):</b> It is a standardized interface command set for KERN balances and other instruments, which allows retrieving and controlling all relevant parameters and functions of the device. KERN devices featuring KCP are thus easily integrated with computers, industrial controllers and other digital systems	 <b>Protection against dust and water splashes IPxx:</b> The type of protection is shown in the pictogram. For details see page 62
 <b>Adjusting program CAL:</b> For quick setting up of the balance's accuracy. External adjusting weight required	 <b>GLP/ISO log:</b> The balance displays serial number, user ID, weight, date and time, regardless of a printer connection	 <b>Stainless steel:</b> The balance is protected against corrosion
 <b>Easy Touch:</b> Suitable for the connection, data transmission and control through PC, tablet or smartphone	 <b>GLP/ISO log:</b> With weight, date and time. Only with KERN printers, see page 171-173	 <b>Suspended weighing:</b> Load support with hook on the underside of the balance
 <b>Memory:</b> Balance memory capacity, e.g. for article data, weighing data, tare weights, PLU etc.	 <b>Piece counting:</b> Reference quantities selectable. Display can be switched from piece to weight	 <b>Battery operation:</b> Ready for battery operation. The battery type is specified for each device
 <b>Alibi memory:</b> Secure, electronic archiving of weighing results, complying with the 2014/31/EU standard. For details see page 223	 <b>Recipe level A:</b> The weights of the recipe ingredients can be added together and the total weight of the recipe can be printed out	 <b>Rechargeable battery pack:</b> Rechargeable set
 <b>Data interface RS-232:</b> To connect the balance to a printer, PC or network	 <b>Recipe level B:</b> Internal memory for complete recipes with name and target value of the recipe ingredients. User guidance through display	 <b>Universal mains adapter:</b> with universal input and optional input socket adapters for A) EU, CH, GB B) EU, CH, GB, USA C) EU, CH, GB, USA, AUS
 <b>RS-485 data interface:</b> To connect the balance to a printer, PC or other peripherals. Suitable for data transfer over large distances. Network in bus topology is possible	 <b>Recipe level C:</b> Internal memory for complete recipes with name and target value of the recipe ingredients. User guidance through display, multiplier function, adjustment of recipe when dosages are exceeded or barcode recognition	 <b>Mains adapter:</b> 230V/50Hz in standard version for EU, CH. On request GB, USA or AUS version available
 <b>USB data interface:</b> To connect the balance to a printer, PC or other peripherals	 <b>Totalising level A:</b> The weights of similar items can be added together and the total can be printed out	 <b>Power supply:</b> Integrated in balance. 230V/50Hz standard EU. More standards e.g. GB, USA or AUS on request
 <b>Bluetooth* data interface:</b> To transfer data from the balance to a printer, PC or other peripherals	 <b>Percentage determination:</b> Determining the deviation in % from the target value (100 %)	 <b>Weighing principle: Strain gauges</b> Electrical resistor on an elastic deforming body
 <b>WLAN data interface:</b> To transfer data from the balance to a printer, PC or other peripherals	 <b>Weighing units:</b> Can be switched to e.g. nonmetric units at the touch of a key. See balance model. Please refer to KERN's website for more details	 <b>Weighing principle: Tuning fork</b> A resonating body is electromagnetically excited, causing it to oscillate
 <b>Control outputs (optocoupler, digital I/O):</b> To connect relays, signal lamps, valves, etc.	 <b>Weighing with tolerance range:</b> (Checkweighing) Upper and lower limiting can be programmed individually, e.g. for sorting and dosing. The process is supported by an audible or visual signal, see the relevant model	 <b>Weighing principle: Electromagnetic force compensation</b> Coil inside a permanent magnet. For the most accurate weighings
 <b>Analogue interface:</b> to connect a suitable peripheral device for analogue processing of the measurements	 <b>DAKkS calibration possible (DKD):</b> The time required for DAKkS calibration is shown in days in the pictogram	 <b>Weighing principle: Single cell technology:</b> Advanced version of the force compensation principle with the highest level of precision
 <b>Interface for second balance:</b> For direct connection of a second balance	 <b>Hold function:</b> (Animal weighing program) When the weighing conditions are unstable, a stable weight is calculated as an average value	 <b>Verification possible:</b> The time required for verification is specified in the pictogram
 <b>Network interface:</b> For connecting the scale to an Ethernet network	 <b>Package shipment:</b> The time required for internal shipping preparations is shown in days in the pictogram	 <b>Pallet shipment:</b> The time required for internal shipping preparations is shown in days in the pictogram
 <b>Wireless data transfer:</b> between the weighing unit and the evaluation unit using an integrated radio module		

# KERN – measuring technology and testing services from a single source




## Balances & Test service catalogue

Provides a complete overview of the KERN line of balances, test weights, and services such as verification, calibration, etc.



## Medical scales catalogue

Complete line of medical scales, from infant scales to patient scales, chair scales and adiposity scales, as well as hand grip dynamometers, chemist's balances and veterinary scales.



## Microscopes & refractometers catalogue

Extensive range in the area of optical instruments, such as, for example, biological microscopes, stereo microscopes, metallurgical microscopes, polarisation microscopes as well as analogue and digital refractometers.



## SAUTER measuring equipment catalogue

Test instruments for industry and commerce, such as force, coating thickness, material thickness and calibration service.



## DAkkS calibration service brochure

Detailed information on topics pertaining to the calibration and verification of balances, test weights, and force measuring devices.

## Your advantages

### fast

- 24 hours delivery service for products in stock – ordered today, on its way tomorrow
- Sales & service hotline available from 8:00 am to 6:00 pm

### reliable

- Up to 3 years warranty
- Precision in weighing technology for more than 175 years

### competent

- DAkkS accreditation DIN EN ISO/IEC 17025
- Certified QM system DIN EN ISO 9001
- Authorisation for initial verification by the manufacturer 2014/31/EU
- Medical certifications DIN EN ISO 13485 and 93/42/EWG

### versatile

- One-stop shopping: from pocket balances through to 15 t crane balance – everything from one supplier
- Find the product you want at lightning speed with the “Balance Quick-Finder” at [www.kern-sohn.com](http://www.kern-sohn.com)



**Order hotline**  
+49 7433 9933-0



**Online Shop**  
[www.kern-sohn.com](http://www.kern-sohn.com)



**Service hotline**  
+49 7433 9933-199



**E-mail order**  
[info@kern-sohn.com](mailto:info@kern-sohn.com)



**Calibration hotline**  
+49 7433 9933-196



**Fax order**  
+49 7433 9933-146



**Our team of consultants will assist you**  
from Monday to Friday  
from 8:00 am to 6:00 pm



### [www.kern-sohn.com](http://www.kern-sohn.com)

Information on current product availability, product data sheets, user instructions, useful knowledge, technical glossary, images and much for you to download, practical topic areas, which will guide you to the right product in your industry as well as a clever test weight and balance search engine.

## Pallet truck scales

### Weighing and transporting – just one operation

Speed up your warehouse and dispatch processes with the KERN pallet truck scales.

Get the exact weight of a load and at the same time, transport it to a specific location, all in one operation. This reduces commissioning times and avoids queues in front of fixed floor scales.







These mobile weighing solutions are space-saving and deliver reliable weighing results. Differences between given and actual weights can be determined quickly e.g. in the goods-in and out department. This uncovers inaccurate quantities, saves time and money and therefore ensures a very short amortisation period of the scales original cost.

KERN offers a carefully coordinated range from the affordable entry level model to the comfort model with removable battery pack.

KERN pallet truck scales are of robust industrial quality, with high-level protection against dust and water splashes, with high-contrast, easy-to-read displays as well as solid wheels and load rollers – all this helps to give you practical support in your work – day after day.

Of course, all KERN pallet truck scales can also be calibrated and delivered with a DAkkS calibration certificate (optional). This ensures the high level of accuracy of your pallet truck scale.

### Quick-Finder Pallet truck scales

Readability [d] kg	Weighing capacity [Max] kg	Model  KERN	Price excl. of VAT ex works €	Page	 DAYS	 CAL EXT	 SUM	 IP	 BATT	 ACCU
1	2000	VHB 2T1	1320,-	153	2	●	●	●	●	○
For an explanation on the pictos, see front flap										
● = standard ○ = option										



**Florian Bächle**  
Product specialist Pallet truck scales


Tel. +49 7433 9933-118  
Fax +49 7433 9933-29118  
florian.baechle@kern-sohn.com



only €  
**1320,-**

- ▷ The power pack in the dispatch department and the warehouse
- ▷ The display device is well-protected by a metal frame
- ▷ Optimised load rollers so that you can get over rough ground more easily and greater manoeuvrability

# HIGHLIGHT



Pallet truck scale with complete protection against dust and water splashes IP65/67 and a memory for a container weight

**Features**

- **PRE-TARE function** for manual subtraction of a known container weight, useful for checking fill-levels
- **1 Display device:** plastic, protection against dust and water splashes IP65
- **2 Load fork:** Protection against dust and water splashes IP67, temporary use in wet areas possible
- **Pivot range 206°**
- **Castors:** Solid rubber on aluminium rims
- **3 Load rollers:** Tandem tyres to overcome thresholds and obstacles more easily
- **Totalising** of weights
- **Ready for use:** Batteries included, 4×1.5 V AA, operating time up to 80 h

**Technical data**

- Large LCD display, digit height 28 mm
- Permissible ambient temperature -10 °C/40 °C

**Accessories**

- Castors made of red polyurethane on aluminium rims. Ideal for light-coloured flooring as they leave less visible abrasive marks. Suitable for the current models of the pallet truck scale range KERN VHB (when retrofitting, please give the serial number of the pallet truck scale available when ordering), scope of delivery: 1 item, KERN VHB-A02, € 160,-

1 Shipment via freight forwarder. Please ask for dimensions, gross weight, shipping

STANDARD



OPTION



Model	Weighing capacity	Readability	Net weight	Price excl. of VAT ex works €	Option	
					DAkkS KERN	Certificate €
KERN VHB 2T1	[Max] kg 2000	[d] kg 1	approx. kg 110	<b>1320,-</b>	963-131	220,-

**KERN & SOHN GmbH**  
**Balances, Test weights, Microscopes,**  
**DAkkS calibration laboratory**

Ziegelei 1  
 72336 Balingen  
 Germany

Tel. +49 7433 9933-0  
 Fax +49 7433 9933-149


info@kern-sohn.com  
 www.kern-sohn.com

Printed in Germany  
 by KERN & SOHN GmbH  
 z-ob-ge-kp-20201



**1769**

Ancestor Johann Jakob Sauter built the Hahn inclination scale out of iron, a foundation stone for weighing for the balance industry in Southern Germany



**1844**

KERN is founded – precision balances are produced



**1863**

A proud Gottlieb Kern with his staff



**1880**

Pharmaceutical balance with Aesculap



**1923**

Inflation – KERN wages are paid with self printed currency



**1980**

The electronic balance ousts mechanical devices



**1994**

Accredited DKD laboratory (ISO 17025)



**2000**

New premises in Balingen



**2002**

Existing QM system certification in accordance with DIN EN ISO 9001:2000 standards



**2007**

Approval for the manufacture of medical products (DIN EN 13485 and 93/42/EEC)



**2008**

Authorisation for initial verification by the manufacturer (2009/23/EC)



**2009**

Approval for the manufacture and sale of height rods (DIN EN 13485 and 93/42/EEC)



**2012**

Verification point for non-automatic balances and test weights.

New customer portal [www.kern-sohn.com](http://www.kern-sohn.com) goes live



**2014**

Expansion of the product range to include optical instruments (microscopes and refractometers)



**2015**

Inauguration of Ziegelei 2.0 with computer-controlled high-bay warehouse



**2017**

Come with KERN into the digital future: Expansion of the model ranges compatible with Industry 4.0, as well as the related services



**2019**

Significant anniversary year! 25 years of accredited DKD laboratory 175 years of KERN & SOHN 250 years of balance manufacture in the Sauter family-owned company



**2020**

Construction of Ziegelei 3.0, extension of administration building